

Iowa Department of Human Services

Terry E. Branstad Governor

Kim Reynolds Lt. Governor

Charles M. Palmer Director

Date: 4/15/14

Paulyette Wright 814 W Jefferson St Creston, IA 50801

Dear Paulyette,
This letter is in regards to the 4/11/14 compliance check of your Category B, Registered Child Development Home. Iowa Code Chapter 237A and 441 Iowa Administrative Code, Chapter 110, describes specific requirements that must be met by a Registered Child Development Home. The following areas were out of compliance at the time of my visit:
(You need to complete a change application and request to add James Riddle Sr. if he plans to be living in the home or spending time in the home during childcare hours. This will ensure the proper background checks have been completed.)
110.5(1)c First-Aid supplies are available and easily accessible in the home, outdoor play area, any vehicle used to transport children, and on field trips. (You need to obtain a portable first aid kit.)
110.5(1)c The first-aid kit is sufficient to address first aid related to minor injury or trauma and stored in an area not accessible to children.
110.5(1)e Electrical wiring shall be maintained. (You need to update/repair the wiring in your kitchen around the stove and cover the exposed wiring by the back door. Those two areas would not meet local city wiring code.)
110.5(1)h A safe outdoor play area is maintained in good condition throughout the year. (You need to repair the open wrap-around porch covering any holes in the floor boards and removing any exposed nails from the railing system. You also need to either remove the trampoline or obtain spring covers and safety nets.)
110.5(1)j Emergency and disaster plans for fire and tornado are written and posted by primary and secondary exits. (You need to post a copy of an emergency/disaster plan next to your front and back door. This plan should include a map of your main level and clearly mark fire/tornado exits/locations.)
110.5(1)j The plans shall clearly map building evacuation routes in case of fire, a safe place indoors in case of tornado, and flood shelter areas.

110.5(1)k practice and n shared with y	Fire and tornado drills are practiced monthly and documentation kept. (You need to record monthly fire/tornado drills. I suggest using the Emergency Drill Record sheet I ou.)
accessible pla	Has not less than one 2A 10BC rated fire extinguisher in a visible and readily ace on each child-occupied floor. (You need to re-charge or replace the 2A 10BC fire on your main level.)
in each child-	Has a minimum of one single-station, battery-operated, UL-approved smoke detector occupied room and at the top of every stairway. (You need to install a battery ke detector along the middle wall between your living room and dining room.)
must verify the (You need to	All dogs and cats have annual examinations. Records of the exams are on file and nat routine immunizations are current and animal is free of endo and ecto parasites. obtain copies of vet check records for your two dogs to be kept on file. If it has been ear since their last visit, a new appointment needs to be scheduled.)
110.5(2) A pr	ovider file is maintained and contains:
all members of be obtained at copies of phys	A physician's signed statement of health and immunization status on the provider and of the household who may be present when children are in the home. Statements must the time of initial registration and updated every two years. (You need to obtain signed statements of health for yourself and all household members to be kept need to be renewed every two years.)
110.5(2)b cevery 5 years abuse training	Two hours of approved child abuse and neglect mandatory reporter training (and thereafter.) (You need to obtain current certification in the two hour mandatory child s.)
110.5(8) Chil	dren's Files
need to update	A signed medical consent from the parent authorizing emergency treatment. (You e your children's files to be sure each contains a signed Emergency Medical thorization form, current physician signed statement of health, and a current form.)
☐110.5(8)e F annually.	For infants and preschoolers: A statement of health signed by a physician submitted
110.5(8)g public health.	A signed and dated immunization certificate provided by the state department of
cancellation or rev	with any of the mandated regulatory requirements listed above may lead to the vocation of your Child Development Home Registration. Please take whatever ry to completely address each of the violations noted above. It is essential you mentioned violations on or before

Based on the items out of	compliance listed above to	rom revi11 ha magninad .	
Pased on the hems out of	omphance usted above, y	ou win de requirea	to have a re-check or
follow-up visit to your home.	I his visit will occur on o	oratter 71114	

Please call me if you have any further questions.

Sincerely,

Earl Crow

Child Development Home Compliance Checks

DHS, Story County

(515) 268-7106

Always Remember:

Child Care Resource and Referral is an excellent resource for providers to access training options and support in your area. You can reach Child Care Resource and Referral at 1-800-722-7619.

As you plan your future trainings to meet your 24 hours of training requirement, please remember that you need to use only DHS approved training and only 12 hours can be by self-study. You can access the approved training by going to http://www.dhs.state.ia.us/Consumers/Child_Care/Professional_Development.html and you can sign up for training at https://ccmis.dhs.state.ia.us/trainingregistry/

All providers need to maintain compliance with rules set out in Iowa Administrative Code, Chapter 110, which includes: 441 IAC 110.5(1): Check with the appropriate authorities to determine how the following local, state, or federal laws apply to you: • Zoning code • Building code • Fire code • Business license • State and federal income tax • Unemployment insurance • Worker's Compensation • Minimum wage and hour requirements • OSHA • Americans with Disabilities Act (ADA).